



*caring about you & your environment*

## **Public Excluded**

### **Report PE02.219**

23 April 2002

File: E/6/16/2

File: landcare/report PE02.219.docpw

**Report of the Public Excluded Meeting of the Landcare Committee held in the Council Chamber, The Regional Council Centre, 142-146 Wakefield Street, Wellington, on Tuesday, 23 April 2002 at 12.55pm**

**Matters for Council Decision are shown in bold type and enclosed in a box.**  
*Matters for Information of Council are in italic type.*

#### **Present**

Councillors Laidlaw (Chairperson), Barr, Evans, Kirton, McDavitt, Shields, Thomas, Werry and Yardley and Mr Gilbert

#### **Officers Present**

Messrs Darroch, Dick, Ms Edwards, Messrs Forlong, Jackson, Paul, Ms Manley and Mr Waititi

## **Public Business**

### **Procedural Items**

#### **PELC 01 Apologies**

There were no apologies.

## Matter of Recommendation

PELC 02 Purchase of Mangahanene Nos 1 & 2, Otaki River

Report PE02.207

File: N/06/22/09

**Resolved to Recommend**

**(Cr Laidlaw/Cr Werry)**

- (1) That the report be received and the contents noted.**
- (2) (a) That it resolves to purchase the land contained in CT 458/254 from the beneficiaries of the estate of Hemi Kupa Hawea, understood to be the Logan Whanau, for a total sum of \$42,000 (includes legal and valuation costs). The purchase price includes a payment of \$24,000 to settle all issues related to entry on land and construction of the stopbank in 1978.**
- (b) That the total payment of \$42,000 inclusive of GST (if any) be made only on completion of a signed transfer for CT 458/254 from a legally authorised representative of the beneficiaries of the estate of Hemi Kupa Hawea, understood to be the Logan Whanau.**
- (c) That the Council Common Seal be affixed to the necessary documents to achieve the purchase.**

The meeting closed at 1.00pm.

Cr C LAIDLAW  
Chairperson

Wellington Regional Council – 14 May 2002

*To be moved:*

**That the report of the Public Excluded meeting of the Landcare Committee held on 23 April 2002, Items PE LC 01 and PE LC 02, and the recommendations contained therein, be adopted.**